

imu

# Android ARC POS

Experience all-new  
design details



## CONTACT US

☎ +82-2-6105-7261/7271

✉ sales2@imupos.com



WATCHING THE  
IMU POS · KIOSK  
🌐 imupos.com



Horizontal Type  
ARC POS



Vertical Type  
ARC KIOSK

# Android POS SYSTEM


## ARC POS

With a new design,  
evolve into a smart system!


- A new concept of smart POS system that innovates the store
- Different levels of detail, modern and sophisticated design
- Landscape and Portrait view (2 different product)
- Plug and play



Primary Display



Secondary Display



## SPECIFICATION

### ARC POS [ARC-H(A)]

|                   |                                                                                                                       |
|-------------------|-----------------------------------------------------------------------------------------------------------------------|
| CPU               | Rockchip RK3568, Quad-core A55, 2.0 GHz                                                                               |
| System memory     | DDR4 4GB                                                                                                              |
| Storage           | eMMC 16GB(eMMC 32GB, optional)                                                                                        |
| Multi-Media       | Support 1080P, H.265 hardware decoder                                                                                 |
| Operation System  | Android 11                                                                                                            |
| Network           | AzureWave /AW-CM390SM, Wi-Fi 802.11 AC 2.4/5GHz, Bluetooth 5.0                                                        |
| Playback          | wmv, avi, flv, rm, rmvb, mpeg , ts, mp4                                                                               |
| Graphics          | BMP, JPEG, PNG, GIF                                                                                                   |
| Display           | 12.2" LED Backlight (1920x1200 / 16:10 Ratio / 350cd/m <sup>2</sup> (Typ)) / PCAP 10 Point Multi-touch                |
| Secondary Display | 8" Customer Display / LED Backlight (1280x800 / 16:10 Ratio / 270cd/m <sup>2</sup> (Typ)) / PCAP 10 Point Multi-touch |
| USB               | USB 3.0 x 2 (External x 1, type C x 1) / USB 2.0 x 3 (External x 2, RJ11 x 1)                                         |
| LAN               | RJ45 x 1(Base-T 10,100,1000m/bps Ethernet)                                                                            |
| Serial port       | RJ50 x 1, RJ11 x 1                                                                                                    |
| Audio             | Audio-out / 3.5mm x 1                                                                                                 |
| Speaker           | 3W x 1                                                                                                                |
| RTC clock         | RTC clock battery on board                                                                                            |
| Power input       | Type C (60W) 12V/5A ; support PD                                                                                      |
| Temperature       | Operating Temp : 0~40℃ / Storage Temp : -20~60℃ / Humidity : 20~90%H non-condensing                                   |
| Certifications    | CE, FCC, KC                                                                                                           |

\*Specifications are subject to change without prior notice.

The speciality of the ARC POS



S l e e k   f i n i s h

S t y l i s h   D e s i g n



**imu**

📍 #609, 115, Gasan digital 2-ro, Geumcheon-gu, Seoul, 08505, Republic of Korea  
☎ +82-2-6105-7261/7271 ✉ sales2@imupos.com 🌐 imupos.com

WATCHING THE  
IMU POS · KIOSK

